

Frequent Fryer®

STANDARD FRY BASKETS



Model 77

Prince Castle has designed the Frequent Fryer® series of standard fry baskets to allow easy maneuverability under even the hottest temperatures. Baskets are available in sizes that fit every fryer. Designed with long, reinforced handles, our baskets make frying safe and easy. Prince Castle's durable wire mesh ensures even circulation of shortening, so you'll get the best possible results, everytime. Plus, our heavy gauge wire frames withstand constant use.

Prince Castle's fry baskets come with a variety of hook positions and in a number of different sizes to fit virtually any fryer. Plastisol-coated handles are also available. We also offer speciality baskets for fish, pies and taco shells to round out our complete line of baskets for all your frying needs.

Refer to the following pages to find the Prince Castle fry basket that fits your fryer.

STANDARD FEATURES

- High quality baskets designed for safe easy frying.
- Long lasting rugged construction.
- Nickel plated finishes.
- Evenly distributed wire mesh ensures even shortening circulation for better tasting fried foods.
- Sizes to fit virtually any fryer.
- Speciality baskets available.
- Optional plastisol dipped handles available (in quantity).


If you have a fryer... Prince Castle has the basket!

How To Use This Chart: Look for the make and model of your fryer to find the corresponding Prince Castle basket model number. If your fryer is not listed, choose the Prince Castle basket with dimension **equal** to or **smaller than** those specified by your fryer manufacturer.

Fryer Manufacturer and Model No.	Prince Castle Basket Model	
	Twin	Full
ANETS 14 Series, E11, E17, E22, FGS 18 Series 11UT22 14UT22 ECF6 & 6A, FCL11-1A & 1B	676-1 79 76 78 676-11 (RH) 676-21 (LH)	676-6 676-4 676-10 676-6 – –
CECIL EL Series EMP & FMS35B30 EMP & FMS 40 Series EMP & FMS 65 GF-8 GF-10, GF-16 GF-28	676-17 676-2 78 676-3 676-12 676-9 (RH) 676-22 (LH) 676-13 (RH) 676-20 (LH)	676-18 – – – – – – – –
COMSTOCK CASTLE J01TGS, J01HG 2616GB 2616HG 10HF 14HF, 14HC 18HF	676-17 or 676-8 676-9 (RH) 676-22 (LH) 676-7 or 77 676-8 or 676-14 678 or 77 79	676-18 – – 676-6 676-18 676-6 676-4
DEAN 14 Series, D50G 18 Series, D60G, D80G, SM60G D20G, SM20G, SM50G SM35G, 714E 35/40 G01	678 or 78 79 78 77 77	676-6 676-4 676-10 676-10 676-6
FAR WEST 14 Series 18 Series	678 or 78 676-3	676-6 676-4
FRYMASTER MJH45/47/50, GF40 MJ15, JIC, JIX MJ35, GF14, J2X MJCF, G18FB, G24FB H14, H17, H22, EPH Series MJ45E G 18 FB	78 76 77 79 78 78 –	676-6 676-10 676-5 676-4 676-6 676-10 676-4/676-6
GARLAND 35-40 36E Series J3XLRST	676-14 79 77	– – –
HENNY PENNY OE, OG Series	76	–
HOBART CK20, DK20, CK201 CK40, CK45, CK421, CK831 CK841, DK40, DK831 CK81 EFO40 GF35 Series GF65A Series HFD40, HFD50, HFD225 HF85 HF225 HK3, HK31	77 77 77 676-12 678 or 78 678 or 77 676-3 676-3 678 676-3 676-15 676-11 (RH&FH) 376-21 (LH&FH)	676-10 676-6 676-6 – 676-6 676-6 676-4 676-4 676-5/676-6 676-4 – –

() = can be substituted

Fryer Manufacturer and Model No.	Prince Castle Basket Model	
	Twin	Full
IMPERIAL IFS-40	78	676-6
KEATING 10X11 Series 14 Series 18 Series	676-17 678 or 78 676-3	676-18 676-6 676-4
LANG C-28 & 28L, F-28 & 28L R-28 & 28L	676-1 676-6	– –
MAGIC CHEF 301, 310, 312, 314, 316 GA35A, GA42A, GC29A, HD18	77 77	676-6 676-6
PITCO 7 Series 12 Series 14, 14C+, 14BA 18 Series FE16 P35/35C 35C+	678 or 77 676-2 678 or 77 676-3 676-8 77 678 or 77	– 676-10 676-6 676-4 – 676-6 –
STAR 115D, 115DL, 116C, 116CL 215B, 301HL, 515, 515E, 530T 404	676-23 (RH) 676-24 (LH) 676-23 (RH) 676-24 (LH) 77	– – – – 676-6
SUPER CHEF TX-14-FM FM 14 & 14 18S	76 77 79	– – –
TOASTMASTER 1405, 1433, 1465, 1485, 1495	77	–
VULCAN 7594G, 7494E SPG1 & SPE1 SPG2 & SPE2 7595G & 7495E CCFS1 & 7891 CCFS2 CCF18 & 7892 ER40, ER50, ER225 ER85 GHF91, HSF-22 GHF92 GR25 MGF24 TK35, TK45, EF3, GR35, GR45 TK65, GR65, GR85 VF1, VMF1	678 or 77 678 or 77 678 or 77 676-3 678 or 77 678 or 77 676-3 676-3 678 or 77 79 678 or 77 676-4 76 78-RH or 78-LH 678 or 77 676-3 77	676-6 676-6 – 676-4 676-6 676-6 676-4 676-4 676-6 676-5 676-6 676-10 – 676-6 676-4 676-5
WELLS F-49, F-55, F-67, F-85, F-58, F-68, F-88 F-89, F-108, FC-88, FC-101 F-101, F1725 F(FS)1200, F(FS)1275, FB108 FC-108 FNW, FNW-58, LLF-14 WFG-40-2, WFE-40 Series	676-17 78 676-18 678 or 78 78 676-16 676-17 678 or 78	676-18 – – 676-6 – – 676-18 676-6
WOLF WTF35 Series (Triton) WTF42 Series (Commander)	678 or 77 678 or 77	676-6 676-6



MODEL NO.	DIMENSION					
	A	B	C	D	E	F
76 OR 76P	5 7/16 (13.81 CM)	10 29/32 (27.70 CM)	4 1/8 (10.48 CM)	10 1/8 (25.72 CM)	6 1/2 (16.51 CM)	7 29/32 (20.08 CM)
77 OR 77P	5 5/8 (14.29 CM)	13 1/4 (33.66 CM)	5 11/16 (14.45 CM)	11 1/8 (28.26 CM)	8 (20.32 CM)	9 1/8 (23.18 CM)
78 OR 78P	6 5/16 (16.03 CM)	12 7/64 (32.76 CM)	5 5/16 (13.49 CM)	11 1/8 (28.26 CM)	7 13/16 (22.86 CM)	12 1/4 (31.12 CM)
79 OR 79P	8 3/4 (22.23 CM)	16 3/4 (42.54 CM)	6 1/32 (15.32 CM)	12 3/4 (32.38 CM)	8 1/16 (20.48 CM)	11 5/8 (29.53 CM)
676-1	6 1/2 (16.51 CM)	12 7/8 (32.70 CM)	5 3/8 (13.65 CM)	10 (25.40 CM)	9 (22.86 CM)	9 (22.86 CM)
676-2	5 1/2 (13.97 CM)	11 1/4 (28.57 CM)	4 1/2 (11.43 CM)	9 1/2 (24.13 CM)	7 3/4 (19.69 CM)	9 23/32 (24.68 CM)
676-3	8 3/8 (21.27 CM)	17 1/8 (43.50 CM)	6 (15.24 CM)	11 (27.94 CM)	9 1/2 (24.13 CM)	11 25/32 (29.92 CM)
676-4	17 1/2 (44.45 CM)	16 3/4 (42.54 CM)	6 (15.24 CM)	12 9/16 (31.91 CM)	8 (20.32 CM)	10 (25.40 CM)
676-5	11 3/4 (29.84 CM)	14 (35.56 CM)	4 19/32 (11.67 CM)	10 1/2 (26.67 CM)	7 1/2 (19.05 CM)	9 1/4 (23.50 CM)
676-6	12 3/8 (31.43 CM)	12 7/8 (32.70 CM)	5 1/4 (13.33 CM)	10 (25.40 CM)	8 1/8 (20.64 CM)	9 1/2 (24.13 CM)
676-7	5 3/4 (14.61 CM)	17 1/8 (43.50 CM)	6 5/32 (15.64 CM)	10 (25.40 CM)	8 (20.32 CM)	9 1/2 (24.13 CM)
676-8	4 1/2 (11.43 CM)	11 (27.94 CM)	5 1/16 (12.86 CM)	8 13/32 (21.19 CM)	7 7/8 (20.00 CM)	9 1/8 (23.18 CM)
676-9	4 (10.16 CM)	11 1/4 (28.58 CM)	4 (10.16 CM)	8 11/32 (21.19 CM)	7 1/4 (18.41 CM)	9 7/32 (23.41 CM)
676-10	10 3/4 (27.30 CM)	11 (27.94 CM)	4 1/4 (10.80 CM)	10 (25.40 CM)	6 (15.24 CM)	8 (20.32 CM)
676-11	4 13/16 (12.22 CM)	9 3/8 (23.81 CM)	5 3/8 (13.65 CM)	8 (20.32 CM)	7 7/8 (20.00 CM)	8 5/16 (21.11 CM)
676-12	4 1/8 (10.48 CM)	8 3/4 (22.22 CM)	4 1/2 (11.43 CM)	9 1/2 (24.13 CM)	6 1/2 (16.51 CM)	8 (20.32 CM)
676-13	6 3/4 (17.14 CM)	10 3/4 (27.30 CM)	5 (12.70 CM)	10 1/4 (26.03 CM)	7 (17.78 CM)	9 (22.86 CM)
676-14	4 1/4 (10.79 CM)	13 1/4 (33.65 CM)	5 1/2 (13.97 CM)	9 (22.86 CM)	7 1/4 (18.41 CM)	10 5/8 (26.99 CM)
676-15	5 7/8 (14.92 CM)	14 3/4 (37.46 CM)	5 5/16 (13.49 CM)	10 (25.40 CM)	7 1/4 (18.41 CM)	9 11/16 (24.61 CM)
676-16	7 3/4 (19.68 CM)	10 (25.40 CM)	5 1/4 (13.33 CM)	9 21/32 (24.53 CM)	5 3/8 (13.65 CM)	7 5/8 (19.37 CM)
676-17	4 1/16 (10.32 CM)	10 1/16 (25.56 CM)	5 1/4 (13.33 CM)	10 1/16 (25.56 CM)	5 13/16 (14.76 CM)	7 9/16 (19.21 CM)
676-18	8 3/4 (22.22 CM)	10 (25.40 CM)	5 1/4 (13.33 CM)	9 19/32 (24.37 CM)	5 7/16 (13.81 CM)	7 5/8 (19.37 CM)
676-19	5 (12.70 CM)	16 13/32 (41.67 CM)	5 5/16 (13.49 CM)	9 3/8 (23.81 CM)	7 1/4 (18.42 CM)	9 1/4 (23.50 CM)
676-20	6 3/4 (17.14 CM)	10 3/4 (27.30 CM)	5 (12.70 CM)	10 1/4 (26.03 CM)	7 (17.78 CM)	9 (22.86 CM)
676-21	4 13/16 (12.22 CM)	9 3/8 (23.81 CM)	5 3/8 (13.65 CM)	8 (20.32 CM)	7 7/8 (20.00 CM)	8 5/16 (21.11 CM)
676-22	4 (10.16 CM)	11 1/4 (28.58 CM)	4 (10.16 CM)	8 11/32 (21.19 CM)	7 1/4 (18.41 CM)	9 7/32 (23.41 CM)
676-23	4 (10.16 CM)	11 1/4 (28.58 CM)	4 (10.16 CM)	8 11/32 (21.19 CM)	7 1/4 (18.41 CM)	9 7/32 (23.41 CM)
676-24	4 (10.16 CM)	11 1/4 (28.58 CM)	4 (10.16 CM)	8 11/32 (21.19 CM)	7 1/4 (18.41 CM)	9 7/32 (23.41 CM)
678 OR 678P	6 1/2 (16.51 CM)	13 1/4 (33.65 CM)	6 (15.24 CM)	11 (27.94 CM)	9 1/2 (24.13 CM)	11 19/32 (29.45 CM)

STANDARD FRY BASKETS

PRINCE CASTLE INC. 
WORLDWIDE

STOCK BASKETS WITH PLASTISOL HANDLES

HOW TO MEASURE YOUR FRY BASKETS

DETERMINE:


LENGTH (L) x WIDTH (W) x HEIGHT (H)
Then compare the sizes of the standard baskets listed. Pick the basket, from the chart below, with sizes equal to or less than your basket.

PRINCE CASTLE NO.	DIMENSIONS L x W x H IN. (CM)	HOOK PLACEMENT	WEIGHT	
			LB. (KG.)	CU.FT. (CU.M.)
76-P	11" (27.94) x 5 ⁷ / ₁₆ " (13.81) x 4 ¹ / ₈ " (10.47)	Front	3 (1.4)	0.6 (.02)
77-P	13" (33.66) x 5 ⁵ / ₈ " (14.29) x 5 ¹¹ / ₁₆ " (14.45)	Front	3 (1.4)	0.8 (.02)
78-P	12 ¹ / ₈ " (30.76) x 6 ⁵ / ₁₆ " (16.03) x 5 ⁵ / ₁₆ " (13.49)	Front	3 (1.4)	1.2 (.03)
79-P	16 ³ / ₄ " (42.54) x 8 ³ / ₄ " (22.23) x 6" (15.32)	Front	7 (3.2)	2.0 (.06)
678-P	13- ¹ / ₄ " (33.65) x 6 ¹ / ₂ " (16.51) x 5 ¹³ / ₁₆ " (15.24)	Front	4 (1.8)	1.2 (.03)

Consult factory for details on other baskets with Plastisol handles (in quantity).

ORDERING INFORMATION

MODEL	DIMENSIONS IN. (CM.)	HOOK PLACEMENT	WEIGHT	
			LB. (KG.)	CU.FT. (CU.M)
76	11" (27.95) L x 5 ⁷ / ₁₆ " (13.81) W x 4 ¹ / ₈ " (10.47) H	Front	3 (1.36)	0.6 (.02)
77	13 ¹ / ₄ " (33.66) L x 5 ⁵ / ₈ " (14.29) W x 5 ¹¹ / ₁₆ " (14.45) H	Front	3 (.9)	0.8 (.02)
78	12 ¹ / ₈ " (30.76) L x 6 ⁵ / ₁₆ " (16.03) W x 5 ⁵ / ₁₆ " (13.49) H	Front	3 (1.81)	1.2 (.03)
78-RH	12 ¹ / ₈ " (30.76) L x 6 ⁵ / ₁₆ " (16.03) W x 5 ⁵ / ₁₆ " (13.49) H	Right	3 (1.81)	1.2 (.03)
78-LH	12 ¹ / ₈ " (30.76) L x 6 ⁵ / ₁₆ " (16.03) W x 5 ⁵ / ₁₆ " (13.49) H	Left	3 (1.81)	1.2 (.03)
79	16 ³ / ₄ " (42.54) L x 8 ³ / ₄ " (22.23) W x 6" (15.32) H	Front	7 (1.36)	2.0 (.06)
676-1	12 ⁷ / ₈ " (32.70) L x 6 ¹ / ₂ " (16.51) W x 5 ³ / ₈ " (13.65) H	Front	3 (1.81)	0.9 (.03)
676-2	11 ¹ / ₄ " (28.57) L x 5 ¹ / ₂ " (13.97) W x 4 ¹ / ₂ " (11.43) H	Front	3 (1.81)	0.7 (.02)
676-3	17 ¹ / ₄ " (43.50) L x 8 ¹ / ₂ " (21.27) W x 6" (15.24) H	Front	4 (1.81)	1.6 (.04)
676-4	16 ³ / ₄ " (42.54) L x 17 ¹ / ₂ " (44.45) W x 6" (15.24) H	Front	6 (1.36)	3.9 (.11)
676-5	14" (35.56) L x 11 ³ / ₄ " (29.84) W x 4 ⁵ / ₈ " (11.67) H	Front	4 (1.36)	1.8 (.05)
676-6	12 ⁷ / ₈ " (32.70) L x 12 ³ / ₈ " (31.43) W x 5 ¹ / ₄ " (13.33) H	Front	4 (.9)	1.7 (.05)
676-7	17 ¹ / ₈ " (43.50) L x 5 ³ / ₄ " (14.61) W x 6 ¹ / ₈ " (15.64) H	Front	4 (1.81)	0.9 (.03)
676-8	11" (27.94) L x 4 ¹ / ₂ " (11.43) W x 5" (12.86) H	Front	2 (1.36)	0.5 (.01)
676-9	11 ¹ / ₄ " (28.58) L x 4" (10.16) W x 4" (10.16) H (6-inch hook)	Right	2 (1.81)	0.5 (.01)
676-10	11" (27.94) L x 10 ³ / ₄ " (27.30) W x 4 ¹ / ₄ " (10.80) H	Right	3 (1.81)	1.2 (.03)
676-11	9 ³ / ₈ " (23.81) L x 4 ³ / ₄ " (12.22) W x 5 ³ / ₈ " (13.65) H	Right & Front	2 (1.81)	0.5 (.01)
676-12	8 ³ / ₄ " (22.22) L x 4 ¹ / ₈ " (10.48) W x 4 ¹ / ₂ " (11.43) H	Front	2 (1.36)	0.4 (.01)
676-13	10 ³ / ₄ " (27.30) L x 6 ³ / ₄ " (17.40) W x 5" (12.70) H	Right	3 (1.36)	0.9 (.03)
676-14	13 ¹ / ₄ " (33.65) L x 4 ¹ / ₄ " (10.79) W x 5 ¹ / ₂ " (13.97) H	Front	3 (.9)	0.7 (.02)
676-15	14 ³ / ₄ " (37.46) L x 5 ⁷ / ₈ " (14.92) W x 5 ⁵ / ₁₆ " (13.49) H	Front	4 (1.81)	1.0 (.03)
676-16	10" (25.40) L x 7 ³ / ₄ " (19.68) W x 5 ¹ / ₄ " (13.33) H	Front	3 (1.36)	0.8 (.02)
676-17	10" (25.56) L x 4" (10.32) W x 5 ¹ / ₄ " (13.33) H	Front	3 (1.81)	0.3 (.01)
676-18	10" (25.40) L x 8 ³ / ₄ " (22.22) W x 5 ¹ / ₄ " (13.33) H	Front	3 (1.81)	0.9 (.03)
676-19	16 ³ / ₈ " (42.54) L x 5" (12.86) W x 5 ⁵ / ₁₆ " (13.49) H	Front	4 (1.81)	1.0 (.03)
676-20	10 ³ / ₄ " (27.30) L x 6 ³ / ₄ " (17.14) W x 5" (12.70) H	Left	3 (1.36)	0.9 (.03)
676-21	9 ³ / ₈ " (23.81) L x 4 ³ / ₄ " (12.22) W x 5 ³ / ₈ " (13.65) H	Front & Left	4 (1.36)	0.5 (.01)
676-22	11 ¹ / ₄ " (28.58) L x 4" (10.16) W x 4" (10.16) H (6-inch hook)	Left	4 (.9)	0.5 (.01)
676-23	11 ¹ / ₄ " (28.58) L x 4" (10.16) W x 4" (10.16) H (3-inch hook)	Right	4 (1.81)	0.5 (.01)
676-24	11 ¹ / ₄ " (28.58) L x 4" (10.16) W x 4" (10.16) H (3-inch hook)	Left	4 (1.36)	0.5 (.01)
678	13 ¹ / ₄ " (33.65) L x 6 ¹ / ₂ " (16.51) W x 5 ¹³ / ₁₆ " (15.24) H	Front	4 (1.81)	1.2 (.03)



STANDARD BASKETS