# CWTF20-TC

18.2" x 21.4" x 9.0" (46.2cm x 54.4cm x 22.9cm)



- Models are space saving 9" wide (22.9cm)
- Accepts thermal carafe up to 8.5" (21.6 cm) tall
- All stainless steel construction
- Hot water faucet (requires active plumbing connection)
- Pourover feature
- SplashGard® funnel deflects hot liquids away from the hand
- Use in quick turn environments where high quality coffee is continuously refreshed
- PROP 65 Warning Decal included in packaging with equipment
- · Servers not included unless otherwise noted

Server(s) sold separately

Agency:

### **Specifications**

Product #: 12950.0380
Water Access: Plumbed

Finish: Stainless
Funnel: Black Plastic

Faucet: Upper

## Additional Features

#### **Electrical & Capacity**

| Volts | Amps | mps Watts | Cord<br>Attached | Plug Type | 8oz cups/hr<br>236ml cups/hr | Input H <sup>2</sup> O<br>Temp. | Phase | # Wires<br>plus Ground | Hertz |
|-------|------|-----------|------------------|-----------|------------------------------|---------------------------------|-------|------------------------|-------|
| 120   | 15.4 | 1850      | No               | -         | 85                           | 60°F (15.5°C)                   | 1     | 2                      | 60    |

#### Plumbing Requirements

| Tranibility Requirement |         |                         |                           |  |  |  |  |
|-------------------------|---------|-------------------------|---------------------------|--|--|--|--|
| PSI                     | kPa     | Fitting Supplied        | Water Flow Required (GPM) |  |  |  |  |
| 20-90                   | 138-621 | 1/4" Male Flare Fitting | -                         |  |  |  |  |


#### **CAD Drawings**

| 2D | Revit | KLC |
|----|-------|-----|
| •  |       |     |



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Created on: 07/18/2019



| Unit    |         |          |          | Shipping |          |          |            |                       |
|---------|---------|----------|----------|----------|----------|----------|------------|-----------------------|
|         | Width   | Height   | Depth    | Width    | Height   | Depth    | Weight     | Volume                |
| English | 9.0 in. | 18.2 in. | 21.4 in. | 11.9 in. | 24.8 in. | 25.9 in. | 32.500 lbs | 3.807 ft <sup>3</sup> |
| Metric  | 22.9 cm | 46.2 cm  | 54.4 cm  | 30.2 cm  | 63.0 cm  | 65.8 cm  | 14.742 kgs | 0.108 m³              |



## Related Products & Accessories: CWTF20-TC(12950.0380)



FILTERS,REGULAR1M 500/2 50/CL

Product #: 20115.0000



FUNNEL W/DECALS, BLACK PLASTIC

Product #: 20583.0003





# Serving & Holding Options: CWTF20-TC(12950.0380)



THERMAL CARAFE, BLK 1.9L 12PK

Product #:36029.0000



THERMAL CARAFE, BLK 1.9L 1PK

Product #:36029.0001



THERMAL CARAFE,ORN 1.9L 12PK

Product #:36252.0000



THERMAL CARAFE,ORN 1.9L 1PK

Product #:36252.0001



CARAFE,SST 1.9L SHRT BLK 1

Product #:40163.0000



CARAFE,SST 1.9L SHRT ORN 1/

Product #:40163.0001



CARAFE,SST 1.9L SHRT BLK 12/

Product #:40163.0100



CARAFE,SST 1.9L SHRT ORN 12/

Product #:40163.0101

