EQ-TL-7 for EQ-17-TL

0.0" x 0.0" x 0.0" (0.0cm x 0.0cm x 0.0cm)



- 5 micron graded density filtration for long life
- Designed for one or two 1/2 gallon coffee brewers; also works well with BUNN HW2 hot water machines
- Provides 1,500gal of superior sediment, taste/odor and chlorine reduction @ .5 gpm
- Ensures quality coffee and long-term performance of 1 to 5 pot brewers (up to 15 lbs. of coffee/week)
- Scale inhibitor provides six months of scale reduction and guards against corrosion

Agency:



Specifications

Product #: 30200.1001

Cartridge Type: Quick Change

Additional Features

Capacity

Service Flow Rate	Capacity	Micron Rating
-	1500 gal. (5678.0 L)	_
	@0 GPG of hardness	

Plumbing Requirements

Max Operating	Max Operating	Inlet	Outlet	
Pressure	Temperature	Connection	Connection	
- -	-	-		



Unit			Shipping					
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	-	-	-	-	-	-	0.700 lbs	-
Metric	-	-	-	-	-	-	0.318 kgs	-



Related Products & Accessories: EQ-TL-7 for EQ-17-TL(30200.1001)



