## EQHP-35L

16.3" x 4.0" x 4.0" (41.4cm x 10.2cm x 10.2cm)



- Filter cartridges incorporate carbon block media and require no pre- activation
- Equipment protection from reduced sediment particles that can clog the sprayhead
- Consistent brewed coffee and tea from water with reduced sediment and chlorine taste and odor
- Pre-filter offers exceptional sediment holding capacity and particle reduction to 0.2 microns
- Certified by NSF to Standard 53 for cyst reduction
- Incorporates multi-zone pharmaceutical grade pleated nylon prefilter
- Sanitary quick connect valve-in-head design simultaneously shuts off and vents water with 1/4 turn, allowing for simple and troublefree cartridge change-outs

**Additional Features** 

• Reduces scale formation by the release of scale inhibitors

Agency:



### **Specifications**

Product #: 39000.0011

Cartridge Type: Sanitary Quick Connect

### Capacity

Service Flow Rate	Capacity	Micron Rating	
3.3 gal/min (12.5 L/min)	35000 gal. (132487.0 L) @0 GPG of hardness	0.2	

#### Plumbing Requirements

Pressure 100 psi (689 kPa)	Temperature	Connection  3/8 IN NPT	Connection 3/8 IN NPT	
Max Operating	Max Operating	Inlet	Outlet	



Unit			Shipping					
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	4.0 in.	16.3 in.	4.0 in.	-	-	-	4.100 lbs	-
Metric	10.2 cm	41.4 cm	10.2 cm	-	-	-	1.860 kgs	-



# Related Products & Accessories: EQHP-35L(39000.0011)









