WAVE-APS, PF

Height: 17.4" Width: 9.7" Depth: 17.9" (44.2cm) (24.6cm) (45.5cm)



- BrewMETER® allows automatic programming of pulse routine
- Adjustable legs to accommodate up to 3.0L lever action and 2.5L push button BUNN airpots and thermal servers
- Brew into 1.9L thermal carafe using the slide-out booster tray
- Four-digit LED read-out for simple programming
- Utilize the same LED read-out for brewer status (Ready, Heating, Brewing)
- SmartWAVE technology increases turbulence in the brew funnel
- Standard Version
- Energy-saver mode reduces tank temperature during idle periods
- Ensures coffee brew quality with cold brew lock out capability
- SplashGard® funnel deflects hot liquids away from the hand
- Servers not included unless otherwise noted



Agency:





Specifications

Product #: 39900.0008 Faucet: Lower BrewMETER

Water Access: Plumbed

Finish: Stainless
Funnel: Black Plastic

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
120/240	9.5	2250	-	-	102	60°F (15.5°C)	1	3	60

"When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements


PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	1/4" Male Flare Fitting	-


CAD Drawings


Additional Features


2D	Revit	KLC
•		











Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	17.4 in.	9.7 in.	17.9 in.	19.5 in.	12.4 in.	19.5 in.	23.950 lbs	2.723 ft ³
Metric	44.2 cm	24.6 cm	45.5 cm	49.5 cm	31.4 cm	49.5 cm	10.864 kgs	0.077 m³



Related Products & Accessories: WAVE-APS, PF(39900.0008)



FILTERS,REGULAR1M 500/2 50/CL

Product #: 20115.0000





Serving & Holding Options: WAVE-APS, PF(39900.0008)



AIRPOT, 2.5L GL PB SINGLE PK

Product #:13041.0001



AIRPOT, 2.5L GL PB 6/ CASE

Product #:13041.0101



TSR-1,THERMAL SRVR **RACK-1 POSN**

Product #:18008.6001



AIRPOT, 2.2L GL PB SINGLE PK

Product #:28696.0002



AIRPOT, 2.2L GL PB 6/ CASE

Product #:28696.0006



AIRPOT, 2.5L SST LA SINGLE PK

Product #:32125.0000



AIRPOT, 2.5L SST LA 6/ CASE

Product #:32125.0100



AIRPOT, 3.0L SST LA SINGLE PK

Product #:32130.0000



AIRPOT, 3.0L SST LA 6/ CASE

Product #:32130.0100



THERMAL CARAFE, BLK 1.83 L 1PK

Product #:36029.0001



THERMAL CARAFE, ORN 1.9L 12PK

Product #:36252.0000



THERMAL CARAFE, ORN 1.9L 1PK

Product #:36252.0001



PITCHER, SST 1.9L TALL-SNGL PK

Product #:39430.0000



PITCHER, SST 1.9L TALL-6/CASE

Product #:39430.0100



CARAFE, SST 1.9L SHRT BLK 1

Product #:40163.0000



CARAFE, SST 1.9L SHRT ORN 1/

Product #:40163.0001



CARAFE,SST 1.9L SHRT BLK 12/

Product #:40163.0100



CARAFE, SST 1.9L SHRT ORN 12/

Product #:40163.0101



THERMAL SRVR. 2.5L 6/ CS NO BASE GL LINR

Product #:45882.0001



THERMAL SRVR, 2.5L NO BASE GL LINER

Product #:45882.0003

