

Job\_\_\_\_\_ Item No. \_\_\_\_\_

# Star-Max<sup>®</sup> Gas Hot Plates

Standard **□602HF □604HF □606HF** Side-by-Side **□602HWF** 



#### DESCRIPTION

Star-Max<sup>®</sup> gas hot plates are designed for years of maintenance free operation and reliable cooking performance. Whatever the menu item, Star-Max hot plates will out perform the competition. Featuring cast iron 25,000 BTU burners, on-off manual control valve and a standing pilot for each burner. Stra-Max<sup>®</sup> Hot plates are available in 12" wide 2-burner, 24" wide 4-burner, and 36" wide 6-burner styles and operate on natural or propane gas.

### SPECIFICATIONS

Star-Max <sup>®</sup> hot plates are constructed of stainless steel fronts and bull nose to provide control knob protection. The body and drip pan are constructed of aluminized steel for long lasting durability. Units are shipped from the factory for operation on natural gas. Propane gas conversion can be accomplished in the field by changing orifices (supplied with units) and regulator setting. Gas hot plates are constructed of aluminized steel with stainless steel front. Unit has aluminized steel drip pan, heavy-duty cast iron grates, cast iron 25,000 BTU burners, on-off manual control valve, standing pilot for each burner and pressure regulator. Hot plates are available in 12" wide 2-burner, 24" wide 4-burner, and 36" wide 6-burner styles and operate on natural or propane gas. Hot plates are cULus certified and UL EPH sanitation certified.

## WARRANTY

These units come with a two [2] year warranty for parts and labor.

#### FEATURES

- Available in 12" wide 2-burner, 24" wide 4-burner, and 36" wide 6-burner styles
- High performance 25,000 BTU cast iron burners provide maximum heat distribution and control
- All stainless steel front panel
- Heavy-duty metal knobs look great and are designed to last
- Heavy-duty cast iron grates stand up to constant use
- Standing pilot for each burner for easy ignition
- Manual on/off control valve has 1/4 turn for easy temperature control
- Cool-to-the-touch stainless steel bull nose front provides knob protection and comfortable work zone
- All units ship Natural Gas ready with LP conversion kit included
- Removable crumb tray for easy cleaning
- Heavy-duty 4" adjustable legs

### **OPTIONS & ACCESSORIES**

• HP-WR- Wok-Ring (fits standard and side-by-side hot plates)

### CERTIFICATIONS








#### STAR MANUFACTURING INTERNATIONAL INC.

10 Sunnen Drive • Saint Louis, Missouri 63143 Telephone 800 264 7827 • Fax 314 781 5445 www.star-mfg.com Printed in the U.S.A. • 2M-Z2xxxx • Rev - • 5.2017 Specifications are subject to change without notice and are not intended for installation purposes.



# Star-Max<sup>®</sup> Gas Hot Plates

Standard D602HF D604HF D606HF Side-by-Side D602HWF



#### CLEARANCES

These units can be installed on non-combustible countertops using the provided four [4] inch (102 mm) legs or on a combustible floor using a minimum 27-inch (636 mm) tall stand. The back and both sides must be at least three [3] inches (76 mm) from any combustible surface.

MODEL	HEIGHT <sup>1</sup> in. (mm)	WIDTH [A] in. (mm)	DEPTH [B] in. (mm)	BTU <sup>2</sup>	TYPE CONNECTIONS	APPROX. SHIP WEIGHT	APPROX. WEIGHT INSTALLED
602HF	11.9 (302.3)	12.2 (310)	28.9 (734.1)	50,000	3/4" (1.9 cm) N.P.T. Male	66 lb. (60 kg)	75 lb (34.1 kg)
602HWF	11.9 (302.3)	24.0 (610)	17.0 (431.8)	50,000		70 lb. (31.8 kg)	80 lb (36.4 kg)
604HF	11.9 (302.3)	24.0 (610)	28.9 (734.1)	100,000		110 lb. (50.0 kg)	125 lb. (56.8 kg)
606HF	11.9 (302.3)	36.0 (914)	28.9 (734.1)	150,000		176 lb. (80.0 kg)	200 lb (90.9 kg)

<sup>1</sup>Adjustable up to 1.625 in (41mm) <sup>2</sup>All units ship for natural gas service. Propane conversion kits included

Due to periodic changes in designs, methods, procedures, policies and regulations, the specifications contained in this sheet are subject to change without notice. While Star Manufacturing exercises good faith efforts to provide information that is accurate, we are not responsible for errors or omissions in information provided or conclusions reached as a result of using the specifications. By using the information provided, the user assumes all risks in connection with such use.



STAR MANUFACTURING INTERNATIONAL INC.

10 Sunnen Drive • Saint Louis, Missouri 63143 Telephone 800 264 7827 • Fax 314 781 5445 www.star-mfg.com Printed in the U.S.A. • 2M-Z2xxxx • Rev - • 5.2017 Specifications are subject to change without notice and are not intended for installation purposes.