

Induction Woks



Power Tools for Chefs™

CookTek® Induction Wok Cooking

Power, efficiency, speed and control.

Worldwide plug options for 200-240VAC models

Simple, familiar-feel control via single rotary knob Crisp, clean red LED display shows power level

0-20 Power settings

The classic CookTek[®] induction woks offer outstanding performance and value for the money. Designed and built in the USA to survive and thrive in the world's toughest commercial foodservice operating environments. All woks feature beautiful, yet durable, Ceran™ glass bowls.

Induction heats the pan directly, so no delays. The result? *Faster than gas*, yet *more* responsive and *more* precise.

"Heritage" units feature a simple, traditional control knob and display, while "Apogee™" units offer more refinement and sophistication.



Drop-in unit without pan



Apogee™ Models

CookTek[®]'s state of the art Apogee[™] series offer enhancements such as finer resolution control via 0-100 power settings, an intuitive touch-sensitive control panel, and a digital timer (with alarm only or automatic power-off functionality.

The front panel is made of smooth, easy to clean wipe down tempered glass - no knobs or buttons to lose or break. Beautiful, bright, black and white backlit LCD information center display shows power setting, timer (when in use), plus a pan indicator to confirm that an induction compatible pan is present.



intuitive touch sensitive control panel

Bright, backlit LCD cooking information display

Benefits of Cooking with Induction

Faster - induction heats the pan, not the air or the unit itself


Safer - no flames, hot coil, or other radiant heat source

Cleaner - because the surface remails cool, spills don't burn on

Cooler - no flame or radiant heat means a cooler cooking environment

Cheaper - CookTek® induction is 95% efficient. Heat the food, not the kitchen!





Power Tools for Chefs™



Tel: 1.312.563.9600 Fax: 1.312.432.6220

Toll Free Fax: 1.888.COOKFAX (266-5329)

Toll Free: 1.888.COOKTEK (266-5835)