



**Hand held Mixers**  
**Bermixer PRO 450W with Stainless Steel**  
**Tube 22" with constant pressure switch**


ITEM # \_\_\_\_\_  
 MODEL # \_\_\_\_\_  
 NAME # \_\_\_\_\_  
 SIS # \_\_\_\_\_  
 AIA # \_\_\_\_\_



**Electrolux**

**Bermixer PRO 450W with Stainless Steel Tube 22" with constant pressure switch**

**Hand held Mixers**



Hand held Mixers

Bermixer PRO 450W with Stainless Steel Tube 22" with constant pressure switch

**600354 (BP4555U)**      Bermixer PRO, portable, hand held, variable speed (up to 9000 RPM), equipped with constant pressure switch, handle grip, with 22" cutter tube, 1/2 HP, 450 watt, NEMA 1-15P

---

**Short Form Specification**

Item No. \_\_\_\_\_

Bermixer PRO, portable, hand held immersion blender, variable speed, handle grip, with 22" stainless steel cutter tube, 1/2 HP, 450 watt, 115v/60/1, 4.1 amps. Stainless steel tubes (various lengths) and whisk available upon request as an accessory, to mix, liquidize, whip or emulsify.

IP55 water protected control panel.  
 With NEMA 5-15P Plug  
 With Constant Pressure Switch

**Main Features**

- Parts in contact with food - tube, blade, shaft - can be completely dismantled without tools for easy cleaning.
- Delivered with:
  - flat base motor
  - stainless steel tube
  - space saving storing wall support.
- Light weight, ergonomic grip and adjustable speeds make preparation tasks fast and easy.
- Anti-splash bell knife design.
- Bayonet system makes fast and simple to exchange tools.
- Overheating warning red indicator.
- Tube, knife and whisks are dishwasher safe.
- Safety feature requires both hands to start the mixer (no volt release system).
- Removable rotor and mechanism to facilitate cleaning.
- Convenient grip and adjustable speeds make preparation tasks fast and easy.
- Very easy to use, assemble and dismantle.
- Bayonet system to easily remove accessories without the use of tools.
- Red luminous indicator flashes when the device is overloaded.
- Its light weight ensures an optimum comfort for the user.
- Thanks to its electronic speed variator, a quick press with the thumb on the selector is all you need to change speeds.
- Productivity suitable for 50 to 300 meals per service.

**Construction**

- Power: 450 watts (1/2 HP).
- Maximum speed 9000 rpm.
- Motor has an air cooling system and is protected against overheating (in case of long intensive work).
- Smart speed control to ensure the right power according to the work load.
- Motor protected from overload by a terminal fuse (alert system).

**Included Accessories**

- 1 of Stainless Steel cutter tube 22in (553mm)      PNC 650134

**Optional Accessories**

- Stainless Steel cutter tube 14in (353mm)      PNC 650132
- Stainless Steel cutter tube 18in (453mm)      PNC 650133
- Stainless Steel cutter tube 22in (553mm)      PNC 650134
- Adjustable rail, for containers 15in - 26in      PNC 653292
- Bowl cradle for containers      PNC 653294



APPROVAL: \_\_\_\_\_



**Electrolux**

**Hand held Mixers  
Bermixer PRO 450W with Stainless Steel  
Tube 22" with constant pressure switch**

- Reinforced whisk 10in


PNC 653578 □




**Electrolux**

**Hand held Mixers  
Bermixer PRO 450W with Stainless Steel  
Tube 22" with constant pressure switch**

Front




Top



EI = Electrical connection

Side



**Electric**

**Supply voltage:**

600354 (BP4555U)

110-120 V/1N ph/50/60 Hz

**Total Watts:**

0.45 kW

**Plug type:**

USA NEMA 5-15P

**Key Information:**

**External dimensions, Width:** 5 7/16" (138 mm)

**External dimensions, Depth:** 4 3/4" (120 mm)

**External dimensions, Height:** 34 1/16" (865 mm)

**Shipping width:** 14 9/16" (370 mm)

**Shipping depth:** 27 9/16" (700 mm)

**Shipping height:** 5 1/8" (130 mm)

**Shipping weight:** 11 lbs (4.8 kg)

**Hand held Mixers  
Bermixer PRO 450W with Stainless Steel Tube 22" with constant pressure  
switch**

The company reserves the right to make modifications to the products  
without prior notice. All information correct at time of printing.

2017.03.15