

# Customization Comes Standard



- Countless configurations for a variety of meal service programs.
- Fully-portable and non-electric system keeps food cold for hours without ice.
- Easy care and unmatched durability.
- All components are fully compliant with NSF requirements.

**CAMBRO**  
TRUSTED FOR GENERATIONS™

[www.cambro.com](http://www.cambro.com)

# The Ultimate in Serving Versatility

## Configuration Versatility

Whether implementing a new meal program or revamping an existing one, the Versa Food Bar System offers an unparalleled versatility.



## Serving Flexibility

Custom build a merchandising solution to serve cold menu items from any campus location – from salad and sandwiches in the cafeteria to Grab-n-Go breakfast items in classroom hallways.



## Additional Colors

Hot Red (158)



Navy Blue (186)



Kentucky Green (519)



## Versa Food Bar Ultra Series

- Maximize storage space with two secure compartments.
- Each compartment holds up to 50 lbs. (22,6 kg) of non-perishable items.
- Storage Dimensions:  
**W** 17½" x **D** 21½" x **H** 18" per compartment.  
Each compartment is 3.92 cu. ft. (0,11 M³).



### Serving Tips

- ✓ Salad Bar
- ✓ Fruit Bar
- ✓ Topping Bar
- ✓ Yogurt Bar
- ✓ Grab-n-Go bar



## Versa Work Table


Perfect for use as a prep table or Grab-n-Go station offering a variety of pre-packaged meals, snacks and beverages.



## Accessories

### Buffet Camchillers®

Extend safe, cold holding time without ice for up to 4 hours. Dual-sided Buffet Camchillers hold 2½" (6,5 cm) and 4" (10 cm) pans. Buffet Camchillers fit perfectly in the Versa Food Bar and Versa Work Table.



2½" (6,5 cm)

4" (10 cm)

### Versa Cart and Versa Cart Keyboard Tray

The Cart includes an adjustable shelf, standard lockable drawer and convenient electrical access through the top of the cart and front design panel. Optional tray rails easily adjust to a lower height. Optional pull-out keyboard tray fits inside the drawer.



### Versa Corner Connector

Maximize space and merchandising options. Use to connect multiple Versa Food Bars, Versa Work Tables or a combination.



### Versa Straight Connector

Easily and safely attach multiple components together to create a contiguous system. Use to connect multiple Versa Food Bars, Versa Work Tables or a combination.



## Portability

- One person can set-up or knock-down the sneeze guards and tray rails for transport or storage.
- Ergonomic, molded-in handles on both sides ensure easy maneuvering.
- Easily fits through a standard 36" (91,5 cm) doorway with the sneeze guards and optional tray rails knocked down.
- The optional heavy-duty 6" x 2" (15 x 5 cm) casters enhance mobility and durability.
- Connect a hose to the drain faucet for easy and sanitary drainage.

44½" (114 cm) Wide including optional tray rails.



34" (85,4 cm) High  
27" (68,8 cm) Low

# 25% Smaller Footprint

32½" (83 cm) Wide including optional tray rails knocked down.



62¾" (159,4 cm) High

Standard height model

# The Versa Food Bar System

CODE	DESCRIPTION	OVERALL EXTERIOR DIMENSIONS L x W* x H	FULL PAN SIZE CAPACITY	WELL INTERIOR DIMENSIONS L x W x H	CASE LBS. (CUBE)
<b>Versa Food Bars – Standard Height</b>					
VBR5	5' with Standard Casters	69" x 42½" x 62¾"	4	52½" x 21" x 7⅞"	184 (39.12)
VBRHD5	5' with Heavy Duty Casters	(175,3 x 108 x 159,4 cm)		(132,8 x 53,3 x 18 cm)	194.9 (39.12)
VBR6	6' with Standard Casters	82" x 42½" x 62¾"	5	65⅞" x 21" x 7⅞"	219 (45.97)
VBRHD6	6' with Heavy Duty Casters	(208,3 x 108 x 159,4)		(165,4 x 53,3 x 18)	229.5 (45.97)
<b>Versa Food Bars – Ultra Series (Standard Height Only)</b>					
VBRU5	5' with Standard Casters and Storage	69" x 42½" x 62¾"	4	52½" x 21" x 7⅞"	260 (58.5)
VBRUHD5	5' with Heavy Duty Casters and Storage	(175,3 x 108 x 159,4)		(132,8 x 53,3 x 18)	269 (58.5)
VBRU6	6' with Standard Casters and Storage	82" x 42½" x 62¾"	5	65⅞" x 21" x 7⅞"	274 (75)
VBRUHD6	6' with Heavy Duty Casters and Storage	(208,3 x 108 x 159,4)		(165,4 x 53,3 x 18)	283.5 (75)
<b>Versa Food Bars – Low Height</b>					
VBRL5	5' with Standard Casters	69" x 42½" x 55¾"	4	52½" x 21" x 7⅞"	175 (39.12)
VBRLHD5	5' with Heavy Duty Casters	(175,3 x 108 x 141,6)		(132,8 x 53,3 x 18)	181.9 (39.12)
VBRL6	6' with Standard Casters	82" x 42½" x 55¾"	5	65⅞" x 21" x 7⅞"	202.5 (45.97)
VBRLHD6	6' with Heavy Duty Casters	(208,3 x 108 x 141,6)		(165,4 x 53,3 x 18)	213 (45.97)
<b>Versa Work Tables – Standard Height</b>					
VBRT5	5' with Standard Casters	69" x 27" x 36¼"	4	52½" x 21" x 7⅞"	125 (24.03)
VBRTHD5	5' with Heavy Duty Casters	(175,3 x 68,6 x 92)		(132,8 x 53,3 x 18)	135.5 (24.03)
VBRT6	6' with Standard Casters	82" x 27" x 36¼"	5	65⅞" x 21" x 7⅞"	142.5 (28.24)
VBRTHD6	6' with Heavy Duty Casters	(208,3 x 68,6 x 92)		(165,4 x 53,3 x 18)	153 (28.24)
<b>Versa Work Table – Ultra Series (Standard Height Only)</b>					
VBRUT5	5' with Standard Casters and Storage	69" x 27" x 36¼"	4	52½" x 21" x 7⅞"	181.5 (47.65)
VBRUTHD5	5' with Heavy Duty Casters and Storage	(175,3 x 68,6 x 92)		(132,8 x 53,3 x 18)	190.5 (47.65)
VBRUT6	6' with Standard Casters and Storage	82" x 27" x 36¼"	5	65⅞" x 21" x 7⅞"	195.5 (55.96)
VBRUTHD6	6' with Heavy Duty Casters and Storage	(208,3 x 68,6 x 92)		(165,4 x 53,3 x 18)	204.5 (55.96)
<b>Versa Work Tables – Low Height</b>					
VBRTL5	5' with Standard Casters	69" x 27" x 29¼"	4	52½" x 21" x 7⅞"	112 (24.03)
VBRTLHD5	5' with Heavy Duty Casters	(175,3 x 68,6 x 74,3)		(132,8 x 53,3 x 18)	122.5 (24.03)
VBRTL6	6' with Standard Casters	82" x 27" x 29¼"	5	65⅞" x 21" x 7⅞"	129.5 (28.24)
VBRTLHD6	6' with Heavy Duty Casters	(208,3 x 68,6 x 74,3)		(165,4 x 53,3 x 18)	140 (28.24)

Case Pack: 1 Items shown highlighted in gray are in stock. \*Width does not include optional tray rails.



## Add-on Accessories

CODE	DESCRIPTION	OVERALL EXTERIOR DIMENSIONS W x D x H	CASE LBS. (CUBE)
<b>Versa Cart</b>			
VCSWR	With Dual Tray Rails and Standard Casters	52¾" x 32" x 43" (With Tray Rails Up) (134 x 81,3 x 109,2 cm)	127 (37.28)
VCSWRHD	With Dual Tray Rails and Heavy Duty Casters	52¾" x 32" x 43¼" (With Tray Rails Up) (134 x 81,3 x 111,1)	138.4 (37.28)
VCS	With Standard Casters and no Tray Rails	32¼" x 32" x 43" (81,9 x 81,3 x 109,2)	117.5 (37.28)
VCSHD	With Heavy Duty Casters and no Tray Rails	32¼" x 32" x 43¼" (81,9 x 81,3 x 111,1)	128.8 (37.28)
<b>Tray Rails</b>			
VBRR5	Tray Rail for 5' – Versa Food Bar / Work Table	53" x 11½" x 4⅞" (134,6 x 29,2 x 11,6)	12.66 (1.81)
VBRR6	Tray Rail for 6' – Versa Food Bar / Work Table	66" x 11½" x 4⅞" (167,6 x 29,2 x 11,6)	15.57 (2.31)
VCS32R	Tray Rail for Versa Cart	28" x 11⅞" x 5" (71 x 29,7 x 12,7)	8.06 (1.10)
<b>End Table</b>			
VBRTBL	End Table for Versa Bars and Versa Tables	27" x 22" x 4½" (68,6 x 55,9 x 11,4)	10.00 (1.05)

Case Pack: 1 Items shown highlighted in gray are in stock.



# Add-on Accessories

CODE	DESCRIPTION	OVERALL EXTERIOR DIMENSIONS L x W x H	CASE LBS. (CUBE)
<b>Connectors</b>			
VBRC	Straight Connector – Food Bar to Food Bar	27" x 19" x 4¼" (68,6 x 48,3 x 10,8 cm)	10.58 (1.46)
VBRC90	Corner Connector – Food Bar to Food Bar	36" x 36" x 4¼" (91,4 x 91,4 x 10,8)	21.26 (3.66)
VCS32CNT	Straight Connector – Cart to Standard Height Food Bar / Work Table	27" x 20¾" x 3¼" (68,6 x 51,8 x 8,3)	10.75 (1.20)
VCSCNL	Straight Connector – Cart to Low Height Food Bar / Work Table	27" x 20¾" x 8½" (68,6 x 51,8 x 21,6)	14.62 (2.56)

**Case Pack: 1** Items shown highlighted in gray are in stock.

## Vinyl Covers

VBRCVR5*	Versa Cover for 5' (152 cm) Bar	73" x 43½" x 46" (185,4 x 110,5 x 117)	8 (0.25)
VBRCVR6*	Versa Cover for 6' (183 cm) Bar	83" x 43½" x 46" (211 x 110,5 x 117)	9 (0.25)
VBRTCVR5*	Versa Cover for 5' (152 cm) Table	70" x 33½" x 21" (178 x 85,1 x 53,3)	4 (0.25)
VBRTCVR6*	Versa Cover for 6' (183 cm) Table	83" x 33½" x 21" (211 x 85,1 x 53,3)	5 (0.25)
VCSCVR*	Versa Cover for Cart	42" x 33" x 36" (106,7 x 84 x 91,4)	3.5 (0.25)

**Case Pack: 1** Color: Opaque (000).

## Merchandising

VBRSHTS*	Versa Food Bar® Sign Holder	36" x 6" x 9¼" (91,4 x 15,2 x 23,5)	9 (3.34)
----------	-----------------------------	--	----------

**Case Pack: 1** Color: Clear (152).

## Other Accessories

CPB1220	Buffet Camchiller®	18½" x 12½" x 4" (47 x 32 x 10,2)	10.82 (0.62)
VBRWC	Versa Well Cover	20¾" x 13" x 2" (53 x 33 x 5)	3.72 (0.39)
VCS32KEYT	Versa Cart Keyboard Tray	20¾" x 10⅞" x 2" (52,4 x 25,7 x 5)	2.64 (0.39)

**Case Pack: 1** Buffet Camchiller Color: Cold Blue (159). Well Cover Colors: Black (110), Hot Red (158), Navy Blue (186), Kentucky Green (519). Keyboard Tray Color: Black (110). \* These items are not NSF listed. Items shown highlighted in gray are in stock.

**InStock Color:** For Versa Food Bar, Versa Work Table, Versa Cart, Connectors and Well Cover.



110

Black

**Made to Order Colors:** For Versa Food Bar, Versa Work Table, Versa Cart, Connectors, Well Cover, Tray Rail and End Table.



158

Hot Red



186

Navy Blue



519

Kentucky Green

Made To Order Items Not Carried In Stock, Non-Returnable.

**Tray Rail and End Table Colors Only:**

**InStock Color**



191

Granite Gray



110

\*\*Black

\*\* Made to order colors. It must be ordered in increments of 2 each. (Minimum of 2 each).



COMPONENT

Versa Food Service System is covered under U.S. Patent 9,084,498 B2. Versa Food Bar is covered under U.S. Patent D 615,323 S and D 620,730. Versa Food Bar Ultra Series is covered under U.S. Patent D702,066 S. Versa Cart is covered under U.S. Patent D 653,830 S. Buffet Camchiller is covered under U.S. Patent D 618,4765 S. All other parts patent pending.

# Complementary Products



## Divider Bars and Crock and Salad Bowl Holders

To customize your Versa Food Bar and Work Table use Cambro Divider Bars or Crock and Salad Bowl Holders.



## ColdFest® Gastronorm Pans

Hold cold food at safe temperatures without ice for 4 hours or more.



## Camwear® Food Pans

Store, transport and serve all in one pan. Virtually unbreakable, crystal clear polycarbonate keeps contents as cold as metal pans with less condensation.

For more information about Cambro products visit [www.cambro.com](http://www.cambro.com) or contact your Distributor, Cambro Sales Representative or the Cambro Customer Service Department.

**CAMBRO**  
TRUSTED FOR GENERATIONS™

Telephone 714 848 1555 Toll Free 800 854 7631 Customer Service 800 833 3003

© Cambro Manufacturing Company 5801 Skylab Road, Huntington Beach, California 92647-2056

LIT1926 Printed in USA 06/19

D051911