
HEAVY DUTY COOKING

VULCAN

HEAVY DUTY GAS RANGE 4-BURNERS / 24" WIDE GAS RANGE



Model V2B24B (shown on cabinet base)







SPECIFICATIONS

24" wide heavy duty gas range, Vulcan Model No. V4B24 (modular) and V4B24B (cabinet base) or V4BU24 (modular) and V4BU24B (cabinet base). Stainless steel front, plate ledge, front top ledge with pull-out condiment rails, sides, base, stub back and 6" adjustable legs. $1^{1}/_{4}$ " diameter front gas manifold and $1^{1}/_{4}$ " rear gas connection, capped. Heavy cast aeration bowls with removable cast top grates. Front grate: $11^{1}/_{2}$ " x $11^{1}/_{2}$ ", rear grate: $11^{1}/_{2}$ " x 14". Four 33,000 BTU/hr. heavy cast, two-piece open burners with individual pilots and controls for each burner. Total input 132,000 BTU/hr.

Exterior Dimensions:

 $36\frac{3}{4}$ "d x 24"w x 36"h on 6" adjustable legs

□ V4B24	4-Burners / Modular
□ V4B24B	4-Burners / Cabinet Base
□ V4BU24	4-Burners Set-Up / Modular
□ V4BU24B	4-Burners Set-Up / Cabinet Base

STANDARD FEATURES

- Stainless steel front, front top ledge, burner box, sides, base, and stub back
- 11/4" diameter front gas manifold with 11/4" rear gas connection (capped)
- 33,000 BTU/hr. open top burners with lift off heads
- Individual pilots and controls for each burner
- Heavy-duty cast grates
- 4" stainless steel stub riser
- 6" adjustable stainless steel legs for cabinet base units (no legs for modular model)
- Stainless steel cabinet base door

□ Cap and cover front manifold

(starting at 24" length)

- Universal rack guides, with one removable shelf (cabinet base)
- One year limited parts and labor warranty

UD.	TIONA	I F	FATI	RES	(Factory	Installed)
UF		\ L [EAIU	neo.	IFACIOIV	mstaneur

☐ 4" adjustable flanged feet for modular models ☐ Less legs for dolly mounting of cabinet base models □ 3" high toe base for curb mounting **ACCESSORIES** (Packaged & Sold Separately) □ ³/₄", 1", or 1¹/₄" gas pressure regulator (specify gas type – pack loose) ☐ Set of 4 casters, 6" high (two locking) ☐ 6" adjustable flanged feet for cabinet base models ☐ Extra removable shelves for use with Universal rack guides (cabinet base) ☐ "S" Grates □ Banking strip ☐ 10", 22", or 34" high back risers (no shelf) ☐ 22" single deck solid or flo-thru high shelf risers □ 34" double deck solid or flo-thru high shelf risers ☐ Flexible gas hose with quick disconnect and restraining device □ Common condiment type, telescoping plate rail



a division of ITW Food Equipment Group LLC

P.O. Box 696 Louisville, KY 40201 Toll-free: 1-800-814-2028 Local: 502-778-2791 Quote & Order Fax: 1-800-444-0602



HEAVY DUTY GAS RANGE 4-BURNERS / 24" WIDE GAS RANGE


INSTALLATION INSTRUCTIONS

- A properly sized gas pressure regulator suitable for battery or single unit application must be furnished and installed. Natural gas 6.0" W.C., propane gas 10.0" W.C.
- An adequate ventilation system is required for commercial cooking equipment. Information may be obtained by writing to the National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269, www.NFPA.org. When writing, refer to NFPA No. 96.
- These units are manufactured for installation in accordance with ANSZ223.1A (latest edition), National Fuel Gas Code. Copies may be obtained from The American Gas Association, 400 N Capitol St. NW, Washington, DC 20001, www.AGA.org.
- 4. ClearancesRearSidesCombustible10"10"Non-combustible0"0"

- For proper combustion, install equipment on adjustable legs or casters. On curb or platform, allow 3½" front overhang. Toe base with leveling bolts are required for curb installation. Specify when ordering.
- 6. Cannot be batteried with GH series equipment.
- This appliance is manufactured for commercial installation only and is not intended for home use.

NOTE: In line with its policy to continually improve its product, Vulcan reserves the right to change materials and specifications without notice.

Specify type of gas when ordering. Specify altitude when above 2,000 feet.



TOP CONFIGURATION	MODEL NUMBER	DESCRIPTION	TOTAL INPUT BTU / HR	SHIPPING WEIGHT LBS / KG
	V4B24	4-Burners / Modular	132,000	220 / 100
	V4B24B	4-Burners / Cabinet Base	132,000	295 / 134
	V4BU24	4-Burners / Step-Up / Modular	132,000	220 / 100
	V4BU24B	4-Burners / Step-Up / Cabinet Base	132,000	295 / 134

This appliance is manufactured for commercial use only and is not intended for home use.



a division of ITW Food Equipment Group LLC

P.O. Box 696 Louisville, KY 40201 Toll-free: 1-800-814-2028 Local: 502-778-2791 Quote & Order Fax: 1-800-444-0602

