

Model 235R



Key Features

- **Large Cylinder**
Accommodates large servings and draws customer's attention
- **Capacity**
12 Quart Cylinder - 12 Quart Hopper
- **High Production**
Up to 320 10 ounce drinks per hour
- **Lighted Flavor Sign**
Draws attention to product
- **Stand-by-switch**
Refrigerates mix overnight
- **Remote Refrigeration**
Up To 3 Dispensers to 1 Condenser
- **Option**
Refrigerated Hopper

*Frosty
Factory*

www.frostyfactory.com

Specifications


Model 235R



Dimensions:	32 in (81 cm) x 16 1/2 in (42 cm) x 26 in (66 cm)
Weight:	125 lbs (57 kg)
Legs:	4 in (10 cm)
Shipping Size:	21 in (W) x 31 in (D) x 35 in (H) 53 cm (W) x 79 cm (D) x 89 cm (H)
Shipping Volume:	13 cu ft (1/3 cu m)
Shipping Weight:	140 lbs (64 kg)
Voltage:	115 - Optional 230
Hertz:	60 hz - Optional 50 hz
Phase:	1
Cooling:	Remote
Air Clearance:	Sides: None required Rear: 6 in (15 cm)
Hopper Capacity:	12 qts (11 1/4 ltr)
Cylinder Capacity:	12 qts (11 1/4 ltr)
Circuit Breaker:	20 amps
Amperage Draw:	6 amps
Condensing Unit:	See spec sheet
Refrigerant:	R404A



Due to continuous research specifications are subject to change without notice.



Remote Condensing Unit



Dimensions:	19 in (48 cm) x 34 in (86.5 cm) x 25.5 in (65 cm)
Weight:	210 lbs (95kg)
Shipping Size:	31 in (W) x 36 in (L) x 23 in (H) 79 cm (W) x 91 cm (L) x 58 cm (H)
Shipping Volume:	15.5 cu ft (1/2 cu m)
Shipping Weight:	217 lbs (98 kg)
Voltage:	208 - 230
Hertz:	60 hz - Optional 50 hz
Phase:	1 - Optional 3
Cooling:	Air Cooled - Optional Water
Air Clearance:	Intake: 8 in (20 cm) Exhaust: 60 in (152 cm)
Amperage Draw:	22 amps (12 at 3 ph)
Circuit Breaker:	30 amps minimum
Compressor:	3 hp
Refrigerant:	R404A



Due to continuous research specifications are subject to change without notice.

