

**HOBART**701 S Ridge Avenue, Troy, OH 45374  
1-888-4HOBART • www.hobartcorp.com**HBR300-1 BENCH/RECEIVING  
DIGITAL SCALE****HOBART****STANDARD FEATURES**

- Easy-to-Read Display
- Legal for Trade
- Battery Power Supply (4) D Cell
- Energy Saver Setting - Set Shutoff Time to Extend Battery Life
- Low Battery Indicator
- Check Weighing
- Batch Weighing
- Over and Under Weighing
- Adjustable Display Head for Easy Viewing
- Toggle Between (Lb./Kg.)
- Stainless Steel Platter
- Tare Indicator
- Preset Tare (Package Weight)
- Keyboard Tare
- Zero Key
- Stable Weight Indicator
- Automatic Zero Tracking
- AC/DC Adapter
- Leveling Leg Set
- Leveling Indicator

**ACCESSORIES**

- HBR-300 Stand, Moveable Cart with Swivel Casters, Rear Locks
- Batteries Sold Separately

**MODEL:**

- HBR300-1

Specifications, Details and Dimensions on Back.

**HBR300-1 BENCH/RECEIVING DIGITAL SCALE**

# HBR300-1 BENCH/RECEIVING DIGITAL SCALE




701 S Ridge Avenue, Troy, OH 45374  
1-888-4HOBART • www.hobartcorp.com

## SPECIFICATIONS

### CONSTRUCTION:

- Food-safe polymer display. The HBR300 stands up to cleaning and sanitizing.
- Large LCD (1.5" x 0.8"), easy to read digits.
- 90° rotating display.



ROTATING DISPLAY

- Platter is stainless steel, stamped construction design sheds juices and food particles.

## SELLING FEATURES

- The HBR300 can be used on the bench, floor or moveable cart.
- Receiving scales prevent costly mistakes by accurately check weighing.

- The HBR300 can be used as a bench portion control scale to keep food costs in line.
- The scale tare feature can be set for package or bowl weight to protect profits.
- Easy to clean and sanitize.

## TYPICAL LOCATIONS

Bakery - batching  
Institutional - portion packaging cold/dry storage  
Kitchen Bench - portion control  
Receiving Door - check weighing

## DETAILS

- Capacity:** 300 lb./150 Kg
- Graduation:** .1 lb/.05 Kg
- Platter size (W x D x H):** 14" x 20" x 2.7"
- Operating Temperature Range:** 23°F to 104°F  
-5°C to to 40°C
- Humidity:** 5% to 90% Non-Condensing
- Voltage Input:** AC 120V 70 Hz 4.5
- Transformer Output:** DC 6V 20 MA
- Battery Life:** (4) "D" Alkaline Cells 12 wks.
- Scale Height:** 31" to 32"
- Scale Weight:** Approximately 40 lbs.
- Shipping Weight:** Approximately 47 lbs.

## DETAILS AND DIMENSIONS

